# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Revision date: 19/02/2023 Version: 10.5

Generated : 02/03/2023

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### **1.1. Product identifier**

Product form Trade name	-	Mixture STAINLESS STEEL POLISH
Product code	:	112199
Type of product	:	
Vaporizer	:	Aerosol

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category Industrial/Professional use spec Use of the substance/mixture Professional useFor professional use onlysilicone free cleaner polish

### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

PARC SUPPLIES LTD VISTA HOUSE WHITEHALL POINT WHITEHALL ROAD LEEDS LS12 4RZ UNITED KINGDOM Tel: 0113 220 4080 Email: info@parcglobal.com

#### **1.4. Emergency telephone number**

Mon to Fri 7.30am to 4.30pm - 0113 220 4080

÷

# **SECTION 2: Hazards identification**

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol, Category 1

Full text of H statements : see section 16


Adverse physicochemical, human health and environmental effects

No additional information available

### 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS02 : Danger

: H222 - Extremely flammable aerosol.

H229 - Pressurised container: May burst if heated.

H222;H229

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

	<ul> <li>P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</li> <li>P211 - Do not spray on an open flame or other ignition source.</li> <li>P251 - Do not pierce or burn, even after use.</li> <li>P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.</li> </ul>
EUH-statements	: EUH208 - Contains . May produce an allergic reaction.

2.3. Other hazards

No additional information available

### **SECTION 3: Composition/information on ingredients**

### 3.1. Substances

### Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hydrocarbons, C10-13, n-alkanes, isoalkanes, cyclics, < 2% aromatics	(EC-No.) 918-481-9 (EC Index-No.) 649-327-00-6 (REACH-no) 01-2119457273-39	10 – 15	Flam. Liq. 3, H226 Asp. Tox. 1, H304
propane substance with national workplace exposure limit(s) (IE)	(CAS-No.) 74-98-6 (EC-No.) 200-827-9 (EC Index-No.) 601-003-00-5 (REACH-no) 01-2119486944-21	10 – 15	Flam. Gas 1A, H220
butane substance with national workplace exposure limit(s) (IE, GB)	(CAS-No.) 106-97-8 (EC-No.) 203-448-7 (EC Index-No.) 601-004-00-0 (REACH-no) 01-2119474691-32	5 – 10	Flam. Gas 1A, H220 Press. Gas

Product subject to CLP Article 1.1.3.7. The disclosure rules of the components is modified in this case. Full text of H-statements: see section 16

# SECTION 4: First aid measures

4.1. Description of first aid measures	
First-aid measures general First-aid measures after inhalation First-aid measures after skin contact First-aid measures after eye contact	<ul> <li>Get medical advice/attention if you feel unwell.</li> <li>Remove person to fresh air and keep comfortable for breathing.</li> <li>Wash skin with plenty of water. Take off contaminated clothing.</li> <li>Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy</li> </ul>
First-aid measures after ingestion 4.2. Most important symptoms and effect	<ul> <li>to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.</li> <li>Do NOT induce vomiting. Rinse mouth. Drink plenty of water. Get medical advice/attention.</li> <li>cts, both acute and delayed</li> </ul>
Symptoms/effects Symptoms/effects after inhalation Symptoms/effects after skin contact Symptoms/effects after eye contact Symptoms/effects after ingestion	<ul> <li>Not expected to present a significant hazard under anticipated conditions of normal use.</li> <li>High concentration of vapours may induce: headache, nausea, dizziness.</li> <li>Repeated exposure may cause skin dryness or cracking.</li> <li>Causes eye irritation.</li> <li>May cause a light irritation of the linings of the mouth, throat, and gastrointestinal tract.</li> </ul>

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media	: Carbon dioxide. Dry powder. Foam.	
5.2. Special hazards arising from the substance or mixture		
Fire hazard Explosion hazard	<ul><li>Extremely flammable aerosol.</li><li>Explosion risk in case of fire.</li></ul>	
5.3. Advice for firefighters		
Firefighting instructions	: Use water spray or fog for cooling exposed containers.	

SECTION 6: Accidental release me	SECTION 6: Accidental release measures			
6.1. Personal precautions, protective e	equipment and emergency procedures			
General measures	: Remove ignition sources.			
6.1.1. For non-emergency personnel				
Emergency procedures	: Evacuate unnecessary personnel.			
6.1.2. For emergency responders				
Protective equipment	: Use personal protective equipment as required.			
6.2. Environmental precautions				
Avoid release to the environment.				
6.3. Methods and material for containing	nent and cleaning up			
For containment Methods for cleaning up	<ul><li>Collect spillage.</li><li>Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.</li></ul>			
6.4. Reference to other sections				

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed Precautions for safe handling Hygiene measures	<ul> <li>Do not pierce or burn, even after use.</li> <li>Do not spray on an open flame or other ignition source.</li> <li>Do not eat, drink or smoke when using this product.</li> </ul>
7.2. Conditions for safe storage, includin	g any incompatibilities
Technical measures Storage conditions	<ul> <li>Does not require any specific or particular technical measures.</li> <li>Keep away from ignition sources. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.</li> </ul>
Incompatible products Incompatible materials Special rules on packaging	<ul> <li>Oxidizing agent. Strong acids. Strong bases.</li> <li>Direct sunlight. Heat sources. Sources of ignition.</li> <li>Keep only in original container.</li> </ul>
7.3. Specific end use(s)	

No additional information available

K050

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

# **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

### 8.1.1 National occupational exposure and biological limit values

propane (74-98-6)	
Ireland - Occupational Exposure Limits	
Local name	Propane
OEL TWA [2]	1000 ppm
Notes (IE)	Asphx

butane (106-97-8)		
Ireland - Occupational Exposure Limits		
Local name	Butane	
OEL TWA [2]	1000 ppm	
United Kingdom - Occupational Exposure Limits		
Local name	Butane	
WEL TWA (OEL TWA) [1]	1450 mg/m³	
WEL TWA (OEL TWA) [2]	600 ppm	
WEL STEL (OEL STEL)	1810 mg/m <sup>3</sup>	
WEL STEL (OEL STEL) [ppm]	750 ppm	
Remark (WEL)	Carc, (only applies if Butane contains more than 0.1% of buta-1,3-diene)	

### 8.1.2. Recommended monitoring procedures

No additional information available

### 8.1.3. Air contaminants formed

No additional information available

### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

No additional information available

### 8.2.2. Personal protection equipment

### 8.2.2.1. Eye and face protection

Eye protection:	
Not required for normal conditions of use	
9.3.3.2. Ekin protostion	

### 8.2.2.2. Skin protection

### Skin and body protection:

Not required for normal conditions of use

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Hand protection:	
In case of repeated or prolonged contact wear gloves	

Other skin protection Materials for protective clothing:		
Not required for normal conditions of use		
8.2.2.3. Respiratory protection		

### **Respiratory protection:**

Not required for normal conditions of use

#### 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

No additional information available

### SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Aerosol.
Colour	: white
001041	
Odour	: characteristic.
Odour threshold	: No data available
рН	: 7
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: 0.82
Solubility	: insoluble in water.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

### 9.2. Other information

No additional information available

### SECTION 10: Stability and reactivity

### 10.1. Reactivity

Pressurised container: May burst if heated.

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

# K050

### 10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

**10.4. Conditions to avoid** 

Direct sunlight. Heat. Open flame.

10.5. Incompatible materials

None known.

**10.6. Hazardous decomposition products** 

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information		
11.1 Information on toxicological effe	cts	
Acute toxicity (oral)	: Not classified	
Acute toxicity (dermal)	: Not classified	
Acute toxicity (inhalation)	: Not classified	
Skin corrosion/irritation	: Not classified	
	pH: 7	
Serious eye damage/irritation	: Not classified pH: 7	
Respiratory or skin sensitisation	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
STOT-single exposure	: Not classified	
STOT-repeated exposure	: Not classified	
Aspiration hazard	: Not classified	
STAINLESS STEEL POLISH		
Vaporizer	Aerosol	

SECTION 12: Ecological information	
12.1. Toxicity	
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified

Hydrocarbons, C10-13, n-alkanes, isoalkanes, cyclics, < 2% aromatics		
LC50 - Fish [1]	> 1000 mg/l	
EC50 - Other aquatic organisms [1]	> 1000 mg/l waterflea	
EC50 - Other aquatic organisms [2]	> 1000 mg/l	
	•	

Document generated @ 02/03/2023 16:57:05

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

12.2. Persistence and degradability		
No additional information available		
12.3. Bioaccumulative potential		
No additional information available		
12.4. Mobility in soil		
No additional information available		
12.5. Results of PBT and vPvB assessment		
No additional information available		
12.6. Other adverse effects		
No additional information available		

SECTION 13: Disposal considerations		
13.1. Waste treatment methods		
Product/Packaging disposal recommendations	: Do not pierce or burn, even after use.	

# **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA

14.1 UN number			
UN-No. (ADR) UN-No. (IMDG) UN-No. (IATA)	: UN 1950 : UN 1950 : UN 1950		
14.2. UN proper shipping name			
Proper Shipping Name (ADR) Proper Shipping Name (IMDG) Proper Shipping Name (IATA) Transport document description (ADR) Transport document description (IMDG) Transport document description (IATA)	<ul> <li>AEROSOLS</li> <li>AEROSOLS</li> <li>Aerosols, flammable</li> <li>UN 1950 AEROSOLS, 2.1, (D)</li> <li>UN 1950 AEROSOLS, 2.1</li> <li>UN 1950 Aerosols, flammable, 2.1</li> </ul>		
14.3. Transport hazard class(es)			
ADR Transport hazard class(es) (ADR) Danger labels (ADR)	: 2.1 : 2.1		
IMDG Transport hazard class(es) (IMDG) Danger labels (IMDG)	: 2.1 : 2.1		

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

ΙΑΤΑ	$\mathbf{V}$
Transport hazard class(es) (IATA)	: 2.1
Danger labels (IATA)	: 2.1
	2
	▼
14.4. Packing group	
Packing group (ADR)	: Not applicable
Packing group (IMDG)	: Not applicable
Packing group (IATA)	: Not applicable
14.5. Environmental hazards	
Dangerous for the environment	: No
Marine pollutant	: No
Other information	: No supplementary information available
14.6. Special precautions for user	
Overland transport	
Classification code (ADR)	: 5F
Special provisions (ADR)	: 190, 327, 344, 625
Limited quantities (ADR)	: 11
Excepted quantities (ADR)	: E0
Packing instructions (ADR) Special packing provisions (ADR)	: P207, LP200 : PP87, RR6, L2
Mixed packing provisions (ADR)	: MP9
Transport category (ADR)	: 2
Special provisions for carriage - Packages (ADR)	: V14
Special provisions for carriage - Loading, unloading	: CV9, CV12
and handling (ADR)	
Special provisions for carriage - Operation (ADR)	: S2
Tunnel restriction code (ADR)	: D
Transport by sea	. 62 100 277 227 244 050
Special provisions (IMDG) Limited quantities (IMDG)	: 63, 190, 277, 327, 344, 959 : SP277
Excepted quantities (IMDG)	: E0
Packing instructions (IMDG)	: P207, LP200
Special packing provisions (IMDG)	: PP87, L2
EmS-No. (Fire)	: F-D
EmS-No. (Spillage)	: S-U
Stowage category (IMDG)	: None
Air transport	· E0
PCA Excepted quantities (IATA) PCA Limited quantities (IATA)	: E0 : Y203
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 203
PCA max net quantity (IATA)	: 75kg
CAO packing instructions (IATA)	: 203
CAO max net quantity (IATA)	: 150kg
Special provisions (IATA)	: A145, A167, A802
ERG code (IATA)	: 10L

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

IBC code

: Not applicable.

## **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

#### 15.1.2. National regulations

#### United Kingdom

**British National Regulations** 

: Commission Regulation (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008.

#### 15.2. Chemical safety assessment

### No additional information available

### **SECTION 16: Other information**

#### Full text of H- and EUH-statements:

The text of the and Eon-statements.		
Asp. Tox. 1	Aspiration hazard, Category 1	
Flam. Gas 1A	Flammable gases, Category 1A	
Flam. Liq. 3	Flammable liquids, Category 3	
Press. Gas	Gases under pressure	
H220	Extremely flammable gas.	
H222	Extremely flammable aerosol.	
H226	Flammable liquid and vapour.	
H229	Pressurised container: May burst if heated.	
H304	May be fatal if swallowed and enters airways.	
EUH208	Contains . May produce an allergic reaction.	

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:			
Aerosol 1	H222;H229	On basis of test data	

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.