



SAFETY DATA SHEET

Astonish Mould & Mildew Blaster

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name Astonish Mould & Mildew Blaster

Product number 995501

Internal identification F7V2

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Removal of mould and mildew stains on a household scale

1.3. Details of the supplier of the safety data sheet

Supplier

The London Oil Refining Company Ltd
 Astonish House
 Unit 1 Premier Point
 Staithgate Lane
 Bradford BD6 1DW
 (01274) 767440 (office hours only)
 www.astonishcleaners.com
 (01274) 726285

Contact person info@astonish.co.uk

1.4. Emergency telephone number

Emergency telephone (01274) 767440 (office hours only)

National emergency telephone number 0870 243 2241 - United Kingdom Poisons Information Centre

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

Health hazards Skin Irrit. 2 - H315 Eye Irrit. 2 - H319

Environmental hazards Not Classified

2.2. Label elements

Pictogram



Signal word Warning

Astonish Mould & Mildew Blaster

Hazard statements H315 Causes skin irritation.
 H319 Causes serious eye irritation.
 EUH208 Contains Mixture of tetrasodium phosphonoethane-1,2-dicarboxylate and Hexasodium phosphonobutane-1,2,3,4-tetracarboxylate. May produce an allergic reaction.

Precautionary statements P101 If medical advice is needed, have product container or label at hand.
 P102 Keep out of reach of children.
 P103 Read label before use.
 P264 Wash hands thoroughly after handling.
 P280 Wear protective gloves, eye and face protection.
 P302+P352 IF ON SKIN: Wash with plenty of water.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P332+P313 If skin irritation occurs: Get medical advice/ attention.
 P337+P313 If eye irritation persists: Get medical advice/ attention.

Additional Labelling

Detergent labelling < 5% anionic surfactants, < 5% chlorine-based bleaching agents

2.3. Other hazards

None

SECTION 3: Composition/information on ingredients

3.2. Mixtures

sodium hypochlorite		1-5%
CAS number: 7681-52-9	EC number: 231-668-3	REACH registration number: 01-2119488154-34-0000
M factor (Acute) = 10		
Classification	Classification (67/548/EEC or 1999/45/EC)	
Met. Corr. 1 - H290	C; R34. N; R50. R31	
Skin Corr. 1B - H314		
Eye Dam. 1 - H318		
STOT SE 3 - H335		
Aquatic Acute 1 - H400		
Sodium Hydroxide		<1%
CAS number: 1310-73-2	EC number: 215-185-5	REACH registration number: 01-2119457892-07-0000
Classification	Classification (67/548/EEC or 1999/45/EC)	
Met. Corr. 1 - H290	C; R35	
Skin Corr. 1A - H314		

Astonish Mould & Mildew Blaster

Sodium N-lauroylsarcosinate	<1%
CAS number: 137-16-6	EC number: 205-281-5
Classification Acute Tox. 2 - H330 Skin Irrit. 2 - H315 Eye Dam. 1 - H318	Classification (67/548/EEC or 1999/45/EC) T; R23. Xi; R41, R38
Mixture of tetrasodium phosphonoethane-1,2-dicarboxylate and Hexasodium phosphonobutane-1,2,3,4-tetracarboxylate	<1%
CAS number: 143239-08-1	EC number: 410-800-5
Classification Skin Sens. 1 - H317 Aquatic Chronic 2 - H411	Classification (67/548/EEC or 1999/45/EC) N; R51/53. R43

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Remove exposure and give water to drink if mouth irritation experienced. Seek medical advice if recovery not rapid.
Ingestion	Drink water. If symptoms persist seek medical advice.
Skin contact	Wash skin thoroughly with soap and water. Remove contaminated clothing. Get medical attention if irritation persists after washing.
Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation persists after washing.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	Possible mild irritation of breathing passage and possible mouth irritation.
Ingestion	Possible mild stomach upset and mild soreness of mouth.
Skin contact	Causes skin irritation.
Eye contact	Causes eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor	No data available
Specific treatments	No data available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Use extinguisher suitable to cause of fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards	Product does not support combustion, minimal fire hazard. Minimal quantities of oxides of carbon may be produced.
Hazardous combustion products	Thermal decomposition or combustion products may include the following substances: Chlorine Gas Hydrogen chloride (HCl). Chlorine Oxides

Astonish Mould & Mildew Blaster

5.3. Advice for firefighters

Protective actions during firefighting Use protection suitable to cause of fire.

Special protective equipment for firefighters Wear breathing apparatus suitable for chlorine gas

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin and eyes.

6.2. Environmental precautions

Environmental precautions Product is intended to be rinsed away to sewer after use. For bigger spillages non-household spillages prevent entry into sewer or drains.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Absorb household spillages with e.g kitchen roll and dispose of in bin. Wipe affected area clean with a damp cloth.

6.4. Reference to other sections

Reference to other sections None

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Use as instructed on label. Avoid breathing spray. Point spray away from face. Avoid contact with skin and eyes.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in ambient conditions. Keep out of the reach of children.

7.3. Specific end use(s)

Specific end use(s) Cleaning hard surfaces around the home and removing mould and mildew stains.
Observe precautions in section 7.1

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Occupational exposure limits

sodium hypochlorite

Short-term exposure limit (15-minute): EU ELV 0.5 ppm 1.5 mg/m³ Chlorine

Short-term exposure limit (15-minute): EH40 WEL 0.5 ppm 1.5 mg/m³ Chlorine

Sodium Hydroxide

Short-term exposure limit (15-minute): WEL 2 mg/m³

WEL = Workplace Exposure Limit

Mixture of tetrasodium phosphonoethane-1,2-dicarboxylate and Hexasodium phosphonobutane-1,2,3,4-tetracarboxylate (CAS: 143239-08-1)

DMEL

- Inhalation; Long term local effects: 10 mg/m³

8.2. Exposure controls

Eye/face protection Wear tight-fitting, chemical splash goggles or face shield.

Astonish Mould & Mildew Blaster

Hand protection	Wear protective gloves made of the following material: Butyl rubber. Polyvinyl chloride (PVC). Chloroprene rubber.
Respiratory protection	Use in a well ventilated area. If this is not possible use a respirator with combination filter e.g. B-P2 or B-P3

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Appearance	Clear thin liquid
Colour	Pale Yellow
Odour	Bleach
Odour threshold	Not known.
pH	pH (concentrated solution): 12.0 - 13.7
Melting point	Not known.
Initial boiling point and range	Not measured (>100°C)
Flash point	Not applicable.
Evaporation rate	Not measured.
Evaporation factor	Not known.
Flammability (solid, gas)	Does not ignite.
Upper/lower flammability or explosive limits	Does not ignite.
Other flammability	Not relevant.
Vapour pressure	Not available.
Vapour density	> 1 (Air=1)
Relative density	1.040 - 1.060 @ 20°C
Bulk density	Not relevant.
Solubility(ies)	Soluble in water
Partition coefficient	Not known.
Auto-ignition temperature	Not known.
Decomposition Temperature	Not available.
Viscosity	Not determined.
Explosive properties	None
Explosive under the influence of a flame	Not considered to be explosive.
Oxidising properties	Not applicable.

9.2. Other information

Other information	None.
--------------------------	-------

SECTION 10: Stability and reactivity

10.1. Reactivity

Astonish Mould & Mildew Blaster

Reactivity Will react with acids to produce chlorine gas

10.2. Chemical stability

Stability Decomposes under normal conditions over a very long period

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions Will produce chlorine when reacted with acids. Retail pack will produce such low volumes the risk to health is considered negligible.

10.4. Conditions to avoid

Conditions to avoid Avoid heat, Chlorine gas will be liberated upon heating Avoid contact with acids, may produce toxic gas (chlorine).

10.5. Incompatible materials

Materials to avoid Avoid contact with acids, organic materials, hydrogen peroxide, metal salts, copper, nickel, iron and ammonia and ammonium compounds - Chlorine gas will be liberated upon contact.

10.6. Hazardous decomposition products

Hazardous decomposition products Rapid and extreme decomposition may release acids of phosphorus, phosphorus oxides, carbon oxides, hydrogen chloride, chlorine and chlorine oxides.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects This mixture has not been tested. Based on the available data of the ingredients the classification criteria are not met.

Acute toxicity - inhalation

ATE inhalation (dusts/mists mg/l) 16.67

sodium hypochlorite

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 3,400.0

Species Mouse

ATE oral (mg/kg) 3,400.0

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ mg/kg) 2,000.0

Species Rabbit

Acute toxicity - inhalation

Acute toxicity inhalation (LC₅₀ vapours mg/l) 10.5

Species Rat

Sodium Hydroxide

Acute toxicity - oral

Astonish Mould & Mildew Blaster

Acute toxicity oral (LD₅₀
mg/kg) 2,000.0

Species Rat

Sodium N-lauroylsarcosinate

Acute toxicity - oral

Acute toxicity oral (LD₅₀
mg/kg) 5,000.0

Species Rat

ATE oral (mg/kg) 5,000.0

Acute toxicity - inhalation

Acute toxicity inhalation
(LC₅₀ dust/mist mg/l) 1.0

Species Rat

ATE inhalation
(dusts/mists mg/l) 0.05

SECTION 12: Ecological Information

12.1. Toxicity

Toxicity The mixture has not been tested. Based on the available data of the ingredients the classification criteria are not met.

sodium hypochlorite

Acute aquatic toxicity

LE(C)₅₀ 0.01 < L(E)C₅₀ ≤ 0.1

M factor (Acute) 10

Acute toxicity - fish LC₅₀, 96 hours: 0.22 - 0.62 mg/l, Pimephales promelas

Acute toxicity - aquatic
invertebrates EC₅₀, 96 hours: 2.1 mg/l, Daphnia magna

Acute toxicity - aquatic
plants EC₅₀, 24 hours: 28 mg/l, Desmodemus subspicatus

Sodium Hydroxide

Acute toxicity - fish LC₅₀, 96 hours: 125 mg/l, Freshwater fish

Acute toxicity - aquatic
invertebrates EC₅₀, 24 hours: 76 mg/l, Daphnia magna

Acute toxicity -
microorganisms EC₅₀, 15 minute: 22 mg/l, Bacteria

Mixture of tetrasodium phosphonoethane-1,2-dicarboxylate and Hexasodium phosphonobutane-1,2,3,4-tetracarboxylate

Astonish Mould & Mildew Blaster

Acute toxicity - fish	LC ₅₀ , 96 hours: >100 mg/l, Lepomis macrochirus (Bluegill)
Acute toxicity - aquatic invertebrates	EC ₅₀ , 48 hours: >1000 mg/l, Daphnia magna
Acute toxicity - aquatic plants	EC ₅₀ , 72 hours: 72 mg/l, Pseudokirchneriella subcapitata
Acute toxicity - microorganisms	EC ₅₀ , 3 hours: >1000 mg/l, Activated sludge

12.2. Persistence and degradability

Persistence and degradability Contains detergents that satisfy the bio-degradation requirements of directive 648/2004/EC.

12.3. Bioaccumulative potential

Bioaccumulative potential The product does not contain any substances expected to be bioaccumulating.

Partition coefficient Not known.

12.4. Mobility in soil

Mobility Mobile.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment No data available.

12.6. Other adverse effects

Other adverse effects Not known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information Dispose of according to local regulations. Avoid disposing into drainage systems and into the environment. Dispose of contaminated packaging in the same way as the product itself. Non-contaminated packages may be recycled.

SECTION 14: Transport information

General Not regulated.

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

Not regulated.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant
No.

14.6. Special precautions for user

Astonish Mould & Mildew Blaster

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation This safety data sheet is compliant with EC Regulation 1907/2006 (REACH) as adapted by 453/2010, Directive 67/548/EEC and EC Regulation 1272/2008 (CLP).
 Dangerous Preparations Directive 1999/45/EC.
 Regulation (EC) No. 648/2004 of the European Parliament and of the Council of 31st March 2004 on detergents.
 Biocidal Products Regulation (528/2012/EC)

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet ATE: Acute Toxicity Estimate.
 CAS: Chemical Abstracts Service.
 LC₅₀: Lethal Concentration to 50 % of a test population.
 LD₅₀: Lethal Dose to 50% of a test population (Median Lethal Dose).
 PBT: Persistent, Bioaccumulative and Toxic substance.
 vPvB: Very Persistent and Very Bioaccumulative.
 EC₅₀: 50% of maximal Effective Concentration.
 DMEL: Derived Minimal Effect Level.

General information Note: The hazard statements below are explanations of phrases used in the SDS as abbreviations and DO NOT apply to the product. The statements applicable to the product are those identified in Section 2 only.

Revision comments Product name change.

Issued by The London Oil Refining Company Ltd

Revision date 19/05/2017

Revision 7.2

Supersedes date 16/09/2016

SDS number 4916

Risk phrases in full R23 Toxic by inhalation.
 R31 Contact with acids liberates toxic gas.
 R34 Causes burns.
 R35 Causes severe burns.
 R36/38 Irritating to eyes and skin.
 R38 Irritating to skin.
 R41 Risk of serious damage to eyes.
 R43 May cause sensitisation by skin contact.
 R50 Very toxic to aquatic organisms.
 R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Astonish Mould & Mildew Blaster

Hazard statements in full

H290 May be corrosive to metals.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H330 Fatal if inhaled.
H335 May cause respiratory irritation.
H400 Very toxic to aquatic life.
H411 Toxic to aquatic life with long lasting effects.
EUH208 Contains Mixture of tetrasodium phosphonoethane-1,2-dicarboxylate and Hexasodium phosphonobutane-1,2,3,4-tetracarboxylate. May produce an allergic reaction.