

**Opti-wipe 3000 WIPES** Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Issue date: 6/14/2019 Version: 1.0

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### **1.1. Product identifier** Product form : Mixture Product name : Opti-wipe 3000 UFI MR3M-KDF0-9S6R-3CX8 · 1.2. Relevant identified uses of the substance or mixture and uses advised against 1.2.1. Relevant identified uses Use of the substance/mixture : Disinfectant wipes 1.2.2. Uses advised against No additional information available 1.3. Details of the supplier of the safety data sheet Parc Supplies Ltd Vista House 2 Whitehall Point Whitehall Road LS12 4RZ 0113 2204080 sales@parcsuppies.com 1.4. Emergency telephone number Emergency number 0113 220 4080 **SECTION 2: Hazards identification** 2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Serious eye damage/eye irritation, Category 2 H319 Full text of H statements : see section 16 Adverse physicochemical, human health and environmental effects Causes serious eye irritation. 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) GHS07 Signal word (CLP) : Warning Hazard statements (CLP) : H319 - Causes serious eye irritation. Precautionary statements (CLP) : P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention.

#### 2.3. Other hazards

Other hazards which do not result in classification : Sanisafe 3 is safe to use on food surfaces or equipment immediately after application as the oral toxicity of the wipe shows it to be below any harmful levels for human ingestion.

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

## **SECTION 3: Composition/information on ingredients**

## 3.1. Substances

#### Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Propan-2-ol substance with national workplace exposure limit(s) (GB)	CAS-No.: 67-63-0 EC-No.: 200-661-7 EC Index-No.: 603-117-00-0 REACH-no: 01-2119457558- 25	1 – 10	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
N-ALKYL AMINOPROPYL GLYCINE	CAS-No.: 139734-65-9	0.1 – 1	Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Dermal), H311 Skin Corr. 1C, H314 Eye Dam. 1, H318 STOT RE 2, H373 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
SODIUM HYDROXIDE substance with national workplace exposure limit(s) (GB)	CAS-No.: 1310-73-2 EC-No.: 215-185-5 EC Index-No.: 011-002-00-6 REACH-no: 01-2119457892- 27	< 0.1	Skin Corr. 1A, H314

Specific concentration limits				
Name	Product identifier	Specific concentration limits		
SODIUM HYDROXIDE	CAS-No.: 1310-73-2 EC-No.: 215-185-5 EC Index-No.: 011-002-00-6 REACH-no: 01-2119457892- 27	( 0.5 ≤C ≤ 2) Skin Irrit. 2, H315 ( 0.5 ≤C ≤ 2) Eye Irrit. 2, H319 ( 2 ≤C ≤ 5) Skin Corr. 1B, H314 ( 5 ≤C < 100) Skin Corr. 1A, H314		

Full text of H-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Get medical advice/attention if you feel unwell. If medical advice is needed, have product container or label at hand.
First-aid measures after inhalation	: Not expected to present a significant inhalation hazard under anticipated conditions of normal use.
First-aid measures after skin contact	: Wash skin with plenty of water. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: As the substrate is a wipe material ingestion is highly unlikely but in the event do not induce vomiting and wash mouth out with water. Get medical advice/attention.
4.2. Most important symptoms and effect	ts, both acute and delayed
Symptoms/effects	: Causes eye irritation.
Symptoms/effects after inhalation	: Not expected to present a significant inhalation hazard under anticipated conditions of normal use.
Symptoms/effects after skin contact	: May cause an allergic skin reaction.

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Symptoms/effects after eye contact
Symptoms/effects after ingestion

: Eye irritation. redness, itching, tears.

: May cause irritation to the digestive tract.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures			
5.1. Extinguishing media			
Suitable extinguishing media	: Use extinguishing media appropriate for surrounding fire.		
5.2. Special hazards arising from the substance or mixture			
Fire hazard Explosion hazard Reactivity in case of fire Hazardous decomposition products in case of fire	<ul> <li>The product is not flammable. In accordance with EU Directive 1272/2008/EC this product will not sustain combustion and is not regarded as requiring a flammable warning.</li> <li>Product is not explosive.</li> <li>None known.</li> <li>Toxic fumes may be released.</li> </ul>		
5.3. Advice for firefighters			
Precautionary measures fire Firefighting instructions Protection during firefighting	<ul> <li>No special measures required.</li> <li>Use extinguishing media appropriate for surrounding fire.</li> <li>Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.</li> </ul>		

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective	e equipment and emergency procedures	
General measures	: Ensure adequate ventilation. Avoid contact with skin and eyes.	
6.1.1. For non-emergency personnel		
Protective equipment	: Not required for normal conditions of use.	
Emergency procedures	: Ventilate spillage area.	
6.1.2. For emergency responders		
Protective equipment	: Not required for normal conditions of use.	
Emergency procedures	: Ventilate area.	
6.2. Environmental precautions		
Avoid release to the environment.		

6.3. Methods and material for containment and cleaning up		
Methods for cleaning up	: Pick up solid material. Place in a suitable container for disposal in accordance with the waste regulations (see Section 13).	
Other information	: Dispose in a safe manner in accordance with local/national regulations.	
6.4. Reference to other sections		

For further information refer to section 8: "Exposure controls/personal protection". For disposal of solid materials or residues refer to section 13 : "Disposal considerations".

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling Hygiene measures	<ul> <li>Ensure there is adequate ventilation. Avoid contact with eyes.</li> <li>Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.</li> </ul>

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	:	Store in a well-ventilated place. Keep container closed when not in use.
Incompatible materials	:	Strong oxidizing agents.
Storage area	:	Store in a well-ventilated place.

#### 7.3. Specific end use(s)

Biocidal products (e.g. Disinfectants, pest control).

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### 8.1.1. National occupational exposure and biological limit values

Propan-2-ol (67-63-0)			
United Kingdom - Occupational Exposure Limits			
Local name	Propan-2-ol		
WEL TWA (OEL TWA) [1]	999 mg/m³		
WEL TWA (OEL TWA) [2]	400 ppm		
WEL STEL (OEL STEL)	1250 mg/m³		
WEL STEL (OEL STEL) [ppm]	500 ppm		
Regulatory reference EH40/2005 (Fourth edition, 2020). HSE			
SODIUM HYDROXIDE (1310-73-2)			
United Kingdom - Occupational Exposure Limits			
Local name	Sodium hydroxide		
WEL STEL (OEL STEL)	2 mg/m³		
Regulatory reference EH40/2005 (Fourth edition, 2020). HSE			

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

## 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

Appropriate engineering controls: Ensure adequate ventilation.

#### 8.2.2. Personal protection equipment

#### Personal protective equipment:

Not required for normal conditions of use.

#### 8.2.2.1. Eye and face protection

#### Eye protection:

Not required for normal conditions of use

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 8.2.2.2. Skin protection

#### Skin and body protection:

Not required for normal conditions of use

Hand protection: Not required for normal conditions of use

### Other skin protection

Materials for protective clothing: Not required for normal conditions of use

8.2.2.3. Respiratory protection

#### **Respiratory protection:** No respiratory protection needed under normal use conditions

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

#### Environmental exposure controls:

Avoid release to the environment.

<b>SECTION 9: Physical and</b>	chemical properties
--------------------------------	---------------------

### 9.1. Information on basic physical and chemical properties

Physical state	: Solid
Colour	: No data available
Odour	: Characteristic odour.
Odour threshold	: No data available
pH	: No data available.
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: Not applicable
Boiling point	: No data available
Flash point	: 55 – 60 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Non flammable.
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available.
Relative density	: No data available.
Solubility	: Insoluble.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: Not applicable
Viscosity, dynamic	: No data available
Explosive properties	: Product is not explosive.
Oxidising properties	: Non oxidizing.
Explosive limits	: Not applicable
9.2. Other information	

## Additional information

: In accordance with EU Directive 1272/2008/EC this product will not sustain combustion and is not regarded as requiring a flammable warning.

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

10.2. Chemical stability	
Stable under normal conditions.	
10.3. Possibility of hazardous reactions	
No dangerous reactions known under normal conditions of use.	

**10.4. Conditions to avoid** 

Heat.

10.5. Incompatible materials

Strong acids. Strong oxidizing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information	
11.1. Information on toxicological effects	
Acute toxicity (dermal) :	Not classified Not classified Not classified
Propan-2-ol (67-63-0)	
LD50 oral	4396
LD50 dermal	12800
LC50 Inhalation - Rat (Dust/Mist)	46600
	Not classified pH: No data available. Causes serious eye irritation.
Respiratory or skin sensitisation : Germ cell mutagenicity :	pH: No data available. Not classified Not classified
Carcinogenicity : Propan-2-ol (67-63-0)	Not classified
IARC group	3 - Not classifiable
	Not classified Not classified
Propan-2-ol (67-63-0)	
STOT-single exposure	May cause drowsiness or dizziness.
STOT-repeated exposure :	Not classified
N-ALKYL AMINOPROPYL GLYCINE (139734-65-9)	
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard :	Not classified
SANISAFE 3 WIPES	
Viscosity, kinematic	Not applicable

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

## SECTION 12: Ecological information

## 12.1. Toxicity

12.1. Toxicity	
Ecology - water : Hazardous to the aquatic environment, short-term : (acute)	The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. No data available on ecotoxicity. Not classified
Propan-2-ol (67-63-0)	
LC50 - Fish [1]	9640 mg/l
EC50 - Other aquatic organisms [1]	13299 mg/l waterflea
EC50 - Other aquatic organisms [2]	> 1000 mg/l
SODIUM HYDROXIDE (1310-73-2)	
	> 25 mm/l
LC50 - Fish [1]	> 35 mg/l
EC50 - Crustacea [1]	40.4 mg/l Test organisms (species): Ceriodaphnia sp.
EC50 - Other aquatic organisms [1] > 33 mg/l waterflea	
12.2. Persistence and degradability	
SANISAFE 3 WIPES	
Persistence and degradability	Not biodegradable.
12.3. Bioaccumulative potential	
SANISAFE 3 WIPES	
Bioaccumulative potential	No data available.
Propan-2-ol (67-63-0)	
Partition coefficient n-octanol/water (Log Pow)	0.05
SODIUM HYDROXIDE (1310-73-2)	
Partition coefficient n-octanol/water (Log Pow)	-3.88
12.4. Mobility in soil	
SANISAFE 3 WIPES	
Ecology - soil	No data available.
12.5. Results of PBT and vPvB assessment	
No additional information available	
12.6. Other adverse effects	

Other adverse effects	: No known effects from this product.
Additional information	: Avoid release to the environment.

SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
Regional legislation (waste)	: Disposal must be done according to official regulations.

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Waste treatment methods	
Product/Packaging disposal recommendations	
Ecology - waste materials	

Dispose of contents/container in accordance with licensed collector's sorting instructions.
Dispose in a safe manner in accordance with local/national regulations.
Avoid release to the environment.

### **SECTION 14: Transport information**

#### In accordance with ADR / IMDG / IATA / ADN / RID

14.1. UN number	
UN-No. (ADR) UN-No. (IMDG) UN-No. (IATA) UN-No. (ADN) UN-No. (RID)	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> </ul>
14.2. UN proper shipping name	
Proper Shipping Name (ADR) Proper Shipping Name (IMDG) Proper Shipping Name (IATA) Proper Shipping Name (ADN) Proper Shipping Name (RID)	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> </ul>
14.3. Transport hazard class(es)	
ADR Transport hazard class(es) (ADR)	: Not applicable
IMDG Transport hazard class(es) (IMDG)	: Not applicable
IATA Transport hazard class(es) (IATA)	: Not applicable
ADN Transport hazard class(es) (ADN)	: Not applicable
<b>RID</b> Transport hazard class(es) (RID)	: Not applicable
14.4. Packing group	
Packing group (ADR) Packing group (IMDG) Packing group (IATA) Packing group (ADN) Packing group (RID)	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> </ul>
14.5. Environmental hazards	
Dangerous for the environment Marine pollutant Other information	<ul> <li>No</li> <li>No supplementary information available</li> </ul>
14.6. Special precautions for user	
Overland transport	

Not applicable

Transport by sea

Not applicable

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Air transport

Not applicable

#### Inland waterway transport

Not applicable

### Rail transport

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

#### Not applicable

## **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list  $\geq$  0,1 % / SCL

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

#### 15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## **SECTION 16: Other information**

Full text of H- and EUH-statements	
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Corr. 1C	Skin corrosion/irritation, Category 1, Sub-Category 1C
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Full text of H- and EUH-statements	
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.