# SAFETY DATA SHEET

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

### **Trade name**

Katrin Foam Soap

#### Product no.

114221

### **REACH** registration number

Not applicable

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

### Relevant identified uses of the substance or mixture

Remoisturizing foam soap. Applicable for frequent use.

### **Uses advised against**

The full text of any mentioned and identified use categories are given in section 16

### 1.3. Details of the supplier of the safety data sheet

### Company and address

Parc Supplies LTD Vista House Whitehall Point Whitehall Road Leeds, LS12 4RZ

Tel: 0113 220 4080

Email: info@parcglobal.com

### E-mail

info@parcglobal.com

**SDS date** 2023-04-26

SDS Version 3.0

### 1.4. Emergency telephone number

Contact The National Poisons Information Service (dial 111, 24 h service). See section 4 "First aid measures".

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

Not classified according to Regulation (EC) No. 1272/2008 (CLP)

### 2.2. Label elements

### **Hazard pictogram(s)**

Signal word

### oigilai Word

Hazard statement(s)

### **Precautionary statements**

General Prevention Response Storage Disposal -

### Identity of the substances primarily responsible for the major health hazards

Not applicable

### 2.3. Other hazards

Not applicable

### **Additional labelling**

Nordic Ecolabel, the Swan, License number 5090 0062.

The EU Flower. License number DK/030/001.

#### Additional warnings

Not applicable

### **VOC (volatile organic compound)**

Not applicable

### **SECTION 3: Composition/information on ingredients**

### **▼3.1/3.2.** Substances/Mixtures

NAME: sodium 2-(2-dodecyloxyethoxy)ethyl sulphate

IDENTIFICATION NOS.: CAS-no: 68891-38-3 EC-no: 221-416-0 REACH-no: 01-2119488639-16

CONTENT: 1 - <2.5%

CLP CLASSIFICATION: Eye Dam. 1, Aquatic Chronic 3

H318, H412

(\*) See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

#### Other information

ATEmix(oral) > 2000

Eye Cat. 2 Sum = Sum(Ci/S(G)CLi) = 0.2376 - 0.3564

N chronic (CAT 4) Sum = Sum(Ci/(M(chronic)i\*25)\*0.1\*10^CAT4) = 0.04752 - 0.07128

Ingredients

AQUA (SOLVENT), SODIUM LAURETH SULFATE (SURFACTANT), GLYCERIN (HUMECTANT), PHENOXYETHANOL (PRESERVATIVE), COCAMIDOPROPYL BETAINE (SURFACTANT), SODIUM BENZOATE (PRESERVATIVE), PEG-4 RAPESEEDAMIDE (SURFACTANT), CITRIC ACID (pH ADJUSTMENT), AMMONIUM LAURYL SULFATE (SURFACTANT)

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

### **V**General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. The doctor can contact The National Poisons Information Service: Dial 0344 892 0111 (24 h service). Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

#### **VInhalation**

Bring the person into fresh air and stay with him/her.

#### Skin contact

Immediately remove contaminated clothing and shoes. Ensure that skin, which has been exposed to the material, is washed thoroughly with soap and water. Skin cleanser can be used. DO NOT use solvents or thinners.

### **V**Eye contact

Remove contact lenses and open eyes widely. Flush eyes with water or saline water(20-30°C) for at least 15 minutes. Seek medical assistance and continue flushing during transport.

### Ingestion

Provide plenty of water for the person to drink and stay with him/her. In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the victim lean forward with head down to avoid inhalation of- or choking on vomited material.

### **Burns**

Not applicable

### 4.2. Most important symptoms and effects, both acute and delayed

Nothing special

### 4.3. Indication of any immediate medical attention and special treatment needed

Nothing special

### Information to medics

Bring this safety data sheet.

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

Recommended: alcohol-resistant foam, carbonic acid, powder, water mist. Waterjets should not be used, since they can spread the fire.

### 5.2. Special hazards arising from the substance or mixture

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous catabolic substances are produced. These are: Sulphur oxides. Carbon oxides. Some metal oxides. Fire will result in dense black smoke. Exposure to combustion products may harm your health. Fire fighters should wear appropriate protection equipment. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

### ▼5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.

#### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

No specific requirements.

### 6.2. Environmental precautions

No specific requirements.

### 6.3. Methods and material for containment and cleaning up

Use sand, sawdust, earth, vermiculite, diatomaceous earth to contain and collect non-combustible absorbent materials and place in container for disposal, according to local regulations. To the extent possible cleaning is performed with normal cleaning agents. Avoid use of solvents.

#### 6.4. Reference to other sections

See section on "Disposal considerations" in regard of handling of waste. See section on 'Exposure controls/personal protection' for protective measures.

### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

See section on 'Exposure controls/personal protection' for information on personal protection.

### 7.2. Conditions for safe storage, including any incompatibilities

Always store in containers of the same material as the original container.

### Storage temperature

Frost-free

#### 7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2

### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

#### **OEL**

No substances are listed in The Control of Substances Hazardous to Health Regulations with an occupational exposure limit.

#### **VDNEL / PNEC**

DNEL (sodium 2-(2-dodecyloxyethoxy)ethyl sulphate): 175 mg/m3

Exposure: Inhalation

Duration of Exposure: Long term - Systemic effects - Workers

DNEL (sodium 2-(2-dodecyloxyethoxy)ethyl sulphate): 2750 mg/kg/d

Exposure: Dermal

Duration of Exposure: Long term - Systemic effects - Workers

DNEL (sodium 2-(2-dodecyloxyethoxy)ethyl sulphate): 132 ug/cm2

Exposure: Dermal

Duration of Exposure: Long term - Local effects - Workers

DNEL (sodium 2-(2-dodecyloxyethoxy)ethyl sulphate): 52 mg/m3

Exposure: Inhalation

Duration of Exposure: Long term – Systemic effects - General population

DNEL (sodium 2-(2-dodecyloxyethoxy)ethyl sulphate): 1650 mg/kg/d

Exposure: Dermal

Duration of Exposure: Long term - Systemic effects - General population

DNEL (sodium 2-(2-dodecyloxyethoxy)ethyl sulphate): 79 ug/cm2

Exposure: Dermal

Duration of Exposure: Long term - Local effects - General population

DNEL (sodium 2-(2-dodecyloxyethoxy)ethyl sulphate): 15 mg/kg/d

Exposure: Oral

Duration of Exposure: Long term - Systemic effects - General population

PNEC (sodium 2-(2-dodecyloxyethoxy)ethyl sulphate): 0.24 mg/L

Exposure: Freshwater Duration of Exposure: Single

PNEC (sodium 2-(2-dodecyloxyethoxy)ethyl sulphate): 0.071 mg/L

Exposure: Freshwater

Duration of Exposure: Continuous

PNEC (sodium 2-(2-dodecyloxyethoxy)ethyl sulphate): 0.024 mg/L

Exposure: Marine water Duration of Exposure: Single

PNEC (sodium 2-(2-dodecyloxyethoxy)ethyl sulphate): 10 g/L

**Exposure: Sewage Treatment Plant** 

PNEC (sodium 2-(2-dodecyloxyethoxy)ethyl sulphate): 0.917 mg/kg

Exposure: Freshwater sediment

PNEC (sodium 2-(2-dodecyloxyethoxy)ethyl sulphate): 0.092 mg/kg

Exposure: Marine water sediment

PNEC (sodium 2-(2-dodecyloxyethoxy)ethyl sulphate): 7.5 mg/kg

Exposure: Soil

### 8.2. Exposure controls

Control is unnecessary if the product is used as intended.

### **General recommendations**

Smoking, eating and drinking are not allowed in the work premises

### **Exposure scenarios**

In the event exposure scenarios are appended to the safety data sheet, the operational conditions and risk management measures in these shall be complied with.

### **Exposure limits**

Occupational exposure limits have not been defined for the substances in this product.

### **Appropriate technical measures**

Apply standard precautions during use of the product. Avoid inhalation of gas or dust.

### **Hygiene measures**

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always wash hands, forearms and face.

### Measures to avoid environmental exposure

No specific requirements.

### Individual protection measures, such as personal protective equipment

Not applicable

### Generally

Use only CE marked protective equipment.

### **Respiratory Equipment**

No specific requirements.

### **Skin protection**

No specific requirements.

### **Hand protection**

No specific requirements.

### **Eye protection**

No specific requirements.

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Form Liquid Colour Clear Odour None

Odour threshold (ppm)

No data available.

pH 4,5 Viscosity (40°C) 10 cP Density (g/cm³) 1.01

Phase changes

Melting point (°C)

Boiling point (°C)

Vapour pressure

Decomposition temperature (°C)

Evaporation rate (n-butylacetate = 100)

No data available.

No data available.

No data available.

No data available.

Data on fire and explosion hazards

Flash point (°C)

Ignition (°C)

Auto flammability (°C)

Explosion limits (% v/v)

Explosive properties

No data available.

No data available.

No data available.

No data available.

**Solubility** 

Solubility in water Soluble

n-octanol/water coefficient No data available.

9.2. Other information

Solubility in fat (g/L) No data available.

### **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No data available

### 10.2. Chemical stability

The product is stable under the conditions, noted in the section "Handling and storage".

### 10.3. Possibility of hazardous reactions

Nothing special

### 10.4. Conditions to avoid

Do not expose to any forms of heat (e.g. solar radiation). May lead to excess pressure.

### 10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

### 10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

### **V**Acute toxicity

Substance: sodium 2-(2-dodecyloxyethoxy)ethyl sulphate

Species: Rat Test: LD50

Route of exposure: Dermal Result: >2000 mg/kg

Substance: sodium 2-(2-dodecyloxyethoxy)ethyl sulphate

Species: Rat Test: LD50

Route of exposure: Oral Result: 2870 mg/kg

### **▼Skin corrosion/irritation**

Data on substance: sodium 2-(2-dodecyloxyethoxy)ethyl sulphate

Test: OECD Guideline 404

Irritation Parameter: erythema score

Organism: Rabbit

Duration of Exposure: 4 h Observation Period: 3 weeks Reversability: reversible

Result: 3,2

3.2

Data on substance: sodium 2-(2-dodecyloxyethoxy)ethyl sulphate

Test: OECD Guideline 404
Irritation Parameter: edema score

Organism: Rabbit

Duration of Exposure: 4 h Observation Period: 3 weeks Reversability: reversible

Result: 3.2

3.2

### **▼**Serious eye damage/irritation

Data on substance: sodium 2-(2-dodecyloxyethoxy)ethyl sulphate

Test: OECD Guideline 405

Irritation Parameter: cornea score

Reversability: reversible

Result: 0.7

### **▼**Respiratory or skin sensitisation

Data on substance: sodium 2-(2-dodecyloxyethoxy)ethyl sulphate

Test: OECD Guideline 406 Organism: Guinea pig Result: Not sensitizing

### **V**Germ cell mutagenicity

Data on substance: sodium 2-(2-dodecyloxyethoxy)ethyl sulphate

Test: OECD Guideline 476

Organism: Mouse Result: Negative

No adverse effect observed.

Data on substance: sodium 2-(2-dodecyloxyethoxy)ethyl sulphate

Test: OECD Guideline 475

Organism: Mouse Result: Negative

No adverse effect observed.

### **▼**Carcinogenicity

Data on substance: sodium 2-(2-dodecyloxyethoxy)ethyl sulphate

### **▼**Reproductive toxicity

Data on substance: sodium 2-(2-dodecyloxyethoxy)ethyl sulphate

Test: OECD 414 Organism: Rat

Result: 1000 mg/kg/d - Negative No adverse effect observed.

Data on substance: sodium 2-(2-dodecyloxyethoxy)ethyl sulphate

Test: OECD TG 416 Organism: Rat

Result: 300 mg/kg/d - Negative No adverse effect observed.

### **STOT-single exposure**

No data available.

### **STOT-repeated exposure**

No data available.

### **Aspiration hazard**

No data available.

### Long term effects

Nothing special

### **SECTION 12: Ecological information**

### ▼12.1. Toxicity

Substance: sodium 2-(2-dodecyloxyethoxy)ethyl sulphate

Species: Fish Test: LD50 Duration: 96 h Result: 7.1 mg//L

Substance: sodium 2-(2-dodecyloxyethoxy)ethyl sulphate

Species: Daphnia Test: EC50 Duration: 48 h Result: 7.4 mg/L

Substance: sodium 2-(2-dodecyloxyethoxy)ethyl sulphate

Species: Algae Test: EC50 Duration: 72 h Result: 27.7 mg/L

Substance: sodium 2-(2-dodecyloxyethoxy)ethyl sulphate

Species: Algae Test: NOEC Duration: 72 h Result: 0.95 mg/L

### ▼ 12.2. Persistence and degradability

Substance Biodegradability Test Result

sodium 2-(2-dodecyloxyethox... Yes No data available No data available

12.3. Bioaccumulative potential

Substance Potential bioaccumulation LogPow BCF

sodium 2-(2-dodecyloxyethox... No 0.3 No data available

### ▼ 12.4. Mobility in soil

sodium 2-(2-dodecyloxyethoxy)e...: Log Koc= 0.31597, Calculated from LogPow (High mobility potential.).

### 12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

### 12.6. Other adverse effects

This product contains substances, which due to poor biodegradability, may cause adverse long-term effects to the aquatic environment,

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Product is not covered by regulations on dangerous waste.

### Waste

EWC code 07 06 01\*

aqueous washing liquids and mother liquors

**▼**Specific labelling

Not applicable

### **Contaminated packing**

No specific requirements.

### **SECTION 14: Transport information**

#### 14.1 - 14.4

Not dangerous goods according to ADR, IATA and IMDG.

ADR/RID

14.1. UN number
14.2. UN proper shipping name
14.3. Transport hazard
class(es)
14.4. Packing group
Notes
Tunnel restriction code

**IMDG** 

UN-no.
Proper Shipping Name
Class
PG\*
EmS
MP\*\*
Hazardous constituent

IATA/ICAO

UN-no. - Proper Shipping Name - Class - PG\*

### 14.5. Environmental hazards

14.6. Special precautions for user

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No data available

- (\*) Packing group
- (\*\*) Marine pollutant

### **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application

**Demands for specific education** 

### **Additional information**

WGK: 1 (Appendix 4)

Seveso

**Sources** 

# Regulation (EC) No 1223/2009 of the European Parliament and of the Council of 30 November 2009 on cosmetic products.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (CLP).

EC regulation 1907/2006 (REACH).

### 15.2. Chemical safety assessment

No

### **SECTION 16: Other information**

### Full text of H-phrases as mentioned in section 3

H318 - Causes serious eye damage.

H412 - Harmful to aquatic life with long lasting effects.

### The full text of identified uses as mentioned in section 1

### Additional label elements

Not applicable

### **Other**

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

### The safety data sheet is validated by

JM

Date of last essential change (First cipher in SDS version)

2023-08-21(2.0)

Date of last minor change

(Last cipher in SDS version)

2023-08-21

Katrin Foam Soap